

# SELECTROSLIDE > CONDENSED < CATALOG

*automation in projection...*




SLM-1200

## MANUAL SELECTROSLIDE

A manual slide carrier for 35mm slides is coupled to the same projector used in other "SL" series 1200 watt models. Has "remote command" feature, providing communication between lecturer and projectionist. Will accommodate film strips with attachment.

## JUNIOR SELECTROSLIDE

Designed for exhibit work, the Junior has a capacity of 16 slides and uses a 500 watt lamp. May be remote controlled, sound synchronized or timer operated. 2" to 11" lenses available.




321

## STANDARD SELECTROSLIDES

Most popular of the "SL" series, the Standard models may be operated continuously, and are also available with remote control reversible sequence operation and remote digital readout features. Five models, with either a 750 or 1200 watt lamp, carry 48-slide magazines. The digital readout model (SLT-750) is equipped with "slide skip" and remote on/standby features as well as reversible operation.




SL-1200



SLT-750

## DUAL SELECTROSLIDES


Designed for lecturing applications, or where continuous showings of up to 96 slides are desired. Available in either 750 or 1200 watt models. One magazine may be changed while the other is projecting. Can be used with either one or two magazines.



SLD-1200

## SPEED DISSOLVE SYSTEM


Uses any pair of modified SL or SLR Selectroslide projectors, enabling instantaneous slide change effects to take place on the screen, with up to 1200 watt brilliance. No dark period or motion during changes. Can be wire or radio remote controlled, or sound synchronized.




730

## RANDOM ACCESS SELECTROSLIDES

For applications where any one slide can be selected at will. The SLS-750 has a capacity of 48 slides; 96 in the SLX-750. Average selection time takes only 2½ seconds. Magazines need not be keyed when interchanged. Accessories include: sequential unit, digital readout, and automatic shut-off timer.



SLS-750



SLX-750

SPINDLER & SAUPPE ALSO MANUFACTURE A LINE OF TELEVISION SLIDE PROJECTORS FOR MULTIPLEXING AND UNIPLEXING.




**spindler  
& sauppe**

2201 Beverly Boulevard  
Los Angeles 57, California  
Phone: DUNkirk 9-1288

## SLIDE COMMANDER

Radio remote control has 150 foot range. Now, you have complete control as you talk or lecture, no wires to hinder your action — a touch of the button gives you the next slide when you want it, from anywhere in the room.



733



# SELECTROSLIDE *Specifications*



## FORWARD

Spindler & Sapppe, established in 1924, are the originators of automatic and remote control slide projectors, and have made scores of vital contributions to the audio-visual field. Their SELECTROSLIDE projectors are today nationally known and recognized as superior in every way. Installations have made two, three and five million slide changes and are still going strong. Many large organizations have standardized on SELECTROSLIDE for their slide projecting needs. The National Park Service, for instance, has at least one SELECTROSLIDE in every major National Park and Monument in the country.

## SLIDES

The "SL" series SELECTROSLIDES are built to accommodate 2" x 2", 35mm slides for all lenses from 1 1/2" to 11", and Bantam or Super-slides (4 x 4 cm) with lenses of 4" focal length or longer. The Junior and SLM-1200 Manual SELECTROSLIDE will accept 35mm or Bantam slides only.

## CONDENSING SYSTEM

Optically ground and polished aspherical and collective condensers, teamed with a glass front surface aluminized mirror and high speed projection lenses, provide maximum light output and uniform illumination across the entire picture area, regardless of the lamp wattage used. The Junior SELECTROSLIDE is equipped with a turbine blower, while the "SL" series uses a 100 CFM Venturi fan and air channels to BOTH sides of the slide.

## LENSES

Lenses from 1 1/2" to 11" to fill practically any size screen at any distance are available as well as matched condensers for all lenses. In the "SL" series projectors, lenses are bayonet mounted. Leitz Prado lenses and remote control or manual film strip attachments may be mounted to "SL" series projectors. ALL SELECTROSLIDES may be used for either front or rear projection.

## CURRENT

Selectroslide projectors are built to use 110-120 volt 60 cycle current. 220 volts-50 cycle is available on special order for some models.

## REMOTE CONTROL

For use in lecturing, teaching, sales training, etc., this feature is of utmost importance. Slide-changing time for the Junior and Standard models is one second. Positive operation presents slides invariably in proper position and sequence under complete control of the speaker. The SLR and SLT models provide remote control to also reverse the sequence of slides.

## CONTINUOUS OPERATION

For displays, exhibits, conventions, or on sales floors and similar applications, the built-in timer may be used. The "SL" series SELECTROSLIDES, except the SLM, SLS, and SLX, have a selection of 4, 8, 12, and 24 second intervals on their control panel. The Junior has an automatic timer for an 8 second interval.

## SOUND

Several synchronized tape recorders may be used with the SELECTROSLIDE. Models are available for continuous showings with either plug-in tape cartridges or additional continuous tape units, for several minutes up to hours in length.

## CABINETS

Rear projection cabinets, such as the model 440 (illustrated) are available. Modern in style, and folding, it has a built-in screen and mirror, and is covered in two-tone leatherette.

## Representative Prices

### MANUAL SELECTROSLIDE MODEL SLM-1200

#### LAMP GENERAL

Lamp capacity up to 1200 watt.

Similar to the SL-1200 Selectroslide projector, but with manual 35mm slide changer, the SLM-1200 will also project film strips with either a manual or remote control film strip attachment.

SLM-1200 Manual Selectroslide with 3" f 2.5 lens, 1200 watt lamp, slide carrier and fitted case \$282.00. 2-button "remote command" 15 foot cord \$11.40.

### JUNIOR SELECTROSLIDE MODEL 321

#### LAMP PRICE

Lamp capacity 500 watt.

With 5" f 3.5 lens and remote control cord \$297.00 Carrying case \$24.00. Lenses from 2" to 11" available.

### STANDARD SELECTROSLIDE MODELS SL-750, SL-1200, SLR-750, SLR-1200, SLT-750

#### LAMPS

The SL-750, SLR-750 and SLT-750 will accept lamps up to 750 watt. The SL-1200 and SLR-1200 are the only 1200 watt continuous automatic slide projectors for 48 slides.

#### MODELS

The SLR (reversible) and SLT (digital readout) models may be operated either forward or reverse. Model SLT-750 may be used to skip slides, without showing intermediate slides, and has a remote on/standby switch in addition to the readout feature.

#### PRICE

SL-750 Selectroslide with remote control cord, 3" f 2.5 lens, heavy duty carrying case, 750 watt lamp and magazine, \$498.00. SL-1200 Selectroslide, equipped as above but with 1200 watt lamp, \$531.00. SLR-750 Selectroslide, equipped as above, \$597.00. SLR-1200, \$630.00. SLT-750 Selectroslide, equipped as above, but with digital readout remote control unit \$900.00.

### DUAL SELECTROSLIDE MODEL SLD-750 and SLD-1200

#### GENERAL

The Dual Selectroslide models are similar to the Standard units but have a capacity of 96 slides, 48 in each magazine. Slides feed alternately into the slide gate from both magazines. Operates in forward direction only.

#### PRICE

SLD-750 Dual Selectroslide, with remote control cord, 3" f 2.5 lens and two magazines, \$841.00. SLD-1200, equipped as above but with 1200 watt lamp, \$874.00. Heavy duty carrying case \$36.00.

### RANDOM ACCESS SELECTROSLIDE MODELS SLS-750 and SLX-750

#### GENERAL

These Selectroslides are very much in structure like the Standard and Dual unit, except that instant selectivity is obtained by remote push-button control unit, supplied as standard equipment. Remote on/standby is also provided.

#### PRICE

SLS-750 Random Access Selectroslide with remote unit, 3" f 2.5 lens, magazine, 750 watt lamp, and dust cover, \$1605.00. Projector case \$36.00. Model SLX-750 Dual Random Access Selectroslide, equipped as above, but with two magazines, \$2395.00. Case \$39.00

### SPEED DISSOLVE SYSTEM MODEL 730

#### PRICE

Model 730 Speed Dissolve System, including modification of two SL or SLR projectors, \$255.00.

### SLIDE COMMANDER MODEL 733

#### PRICE

Model 733 Radio Remote Control including fitted case, transmitter clip and receiver mounting bracket, \$198.00.



*Model 440 Cabinet  
for all Selectroslide models*

# SELECTROSLIDE



is the most versatile selling and teaching tool ever conceived. Years of experience (this firm was established in 1924 — more than a quarter of a century) has kept it ahead in the field of visual equipment. Synchronized sound can be added for even more impact.

Specific information on any of our SELECTROSLIDE projectors or a list of accessories is available and we ask you to indicate your interest on the lower half of this card and return it to us — no postage is required. Thank you.

## Please Send Literature On:

*— check one or more and mail —*

- ☐ Junior SELECTROSLIDE model 321 for 16 slides.
- ☐ Standard SELECTROSLIDE model SL-750 and SL-1200 for 48 slides.
- ☐ Reversible SELECTROSLIDE model SLR-750 and SLR-1200 for 48 slides.
- ☐ Dual SELECTROSLIDE model SLD-750 and SLD-1200 for 96 slides.
- ☐ Random Access SELECTROSLIDE models for 48 and 96 slides.
- ☐ SELECTROVISION folding rear projection cabinet model 440.
- ☐ Manual or remote control film strip attachments.
- ☐ Manual SELECTROSLIDE model SLM-1200
- ☐ Sound equipment for synchronization with SELECTROSLIDE projectors.
- ☐ Other (specify) \_\_\_\_\_

Mail to:

Mr. Ted Nelson  
SYS Engr.  
Interlocking System Co.  
Box 1546  
Poughkeepsie N.Y. 12603

SELECTROSLIDE - Merit Award winner at the Brussels World's Fair

It gives us great pleasure to hand you herewith a descriptive page telling you some of the essential details about our four most important automatic slide-projectors.

We have available comprehensive brochures on each Slectroslide model, and invite you to ask for the ones you would like to have, without obligation.

*Your interest is appreciated . . .*

**BUSINESS REPLY MAIL**

No postage is required if mailed in the United States

FIRST CLASS  
PERMIT 36588  
LOS ANGELES,  
CALIFORNIA

Postage will be paid by —

**SPINDLER & SAUPPE, INC.  
2201 BEVERLY BLVD.  
LOS ANGELES 57, CALIF.**

